

Rallonges en PVC de type K avec fiche et prise standard (IEC)



TYPE-K



TYPE-K

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Specifications

Construction du cble : Paire unique 7/0,2

Cble / fil isol en PVC

Pos plat, cte cte et gain de PVC

Classe de tolrance 2

Indice disolation -10 105C

Code couleur CEI

Connecteurs standard

Connecteur standard avec broches rondes solides

Prise standard avec contacts thermocouple

Convient aux applications industrielles

Les contacts sont polariss pour viter une connexion incorrecte

Temprature maximale 220C

Code couleur CEI

Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	2M, 5M, 10M, 15M
Cable Type	Flat Pair Construction
Connector Type	Thermocouple Plug & Socket
Connector Size	Standard
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219

Outer Colour	Green
Drain Wire	No
Insulation Material	PVC Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	4.5
Max. Temperature	105°C
Min. Temperature	-10°C
+ Conductor	Nickel Chromium
- Conductor	Nickel Aluminium
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	K
Termination Type	Standard Thermocouple Plug and Socket
Tolerance	Class 2