



## Type N Glassfibre Insulated Flat Pair thermocouple Cable / Fil (IEC)




10m



**TYPE-N**

25M



**TYPE-N**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Type N Glassfibre Insulated Flat Pair thermocouple Câble / Fil (IEC)**

Construction isolée de paires plates de Glassfibre, chefs d'orchestre posés a plat, Glassfibre isolé avec Glassfibre dans l'ensemble, vernis en silicone partout. Bonne résistance a la température mais ne convient pas lorsque les fluides sont présents.

## Specifications

<b>General Description</b>	Good temperature range but will not prevent ingress of fluids. Fairly flexible but does not provide good mechanical protection.
<b>Cable Length</b>	10m, 25m, 50m, 100m
<b>Cable Type</b>	Flat pair cable
<b>Core / Strands</b>	1/0.315mm
<b>Conductor Cross Section 1/0.315 (mm<sup>2</sup>)</b>	0.078
<b>Outer Colour</b>	Pink & White
<b>+ Colour</b>	Pink
<b>- Colour</b>	White
<b>Drain Wire</b>	No
<b>Insulation Material</b>	Glassfibre insulated
<b>Loop Resistance 1/0.315 (Ohms per combined metre)</b>	17.7
<b>Max. Temperature</b>	+350°C (short periods up to 400°C)
<b>Min. Temperature</b>	-60°C
<b>+ Conductor</b>	Copper



# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

<b>- Conductor</b>	Nisil
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	N
<b>Tolerance</b>	Class 2